

ateljé Lyktan



PORLA

Design by Halskov & Dalgaard

The essence of Scandinavian design

Porla breathes Scandinavian design with its durable lifelike material with an opal glass shade that embraces a minimalist oak suspension. A beautiful luminaire in its simplicity that fits into all interiors, private as well as public spaces with its two sizes and different light sources.

"We wanted the fixture to be able to take up space in the room, as a single fixture or as several without taking over the surface for that matter. We succeeded in this by being inspired by the Scandinavian furniture tradition and our nature".







Glass and wood



Technical specifications

Material	Shade in handmade opal glass. Wooden cross in solid oak and ceiling rose in varnished aluminium
Installation	Suspended from 3 m black textile cable with support wire. White laquered ceiling rose
Connection	Terminal block in canopy 3x0,75mm ² for E27 and 5x0,75mm ² for DALI.
Light source	LED light source included, color temp 2700K, 3000K, and 4000K as standard. CRI 90. Rated lifetime L100 50 000h. Also available with E27 socket. 400mm MAX 25W 600mm MAX 36W
Driver	Dali - Light regulation via spring return push button (phase pulse). Programmed light level saved even after power cut. Corridor mode possible on request. Dimming 1-100%. 1 driver/DALI-address per luminaire. Lifespan: 100 000h.
Energy classification	This product contains a light source of following energy efficiency class to regulation (EU) No 2019/2015 Porla 400 and 600mm Light source with CRI and CT 930 - Class E
Weight	400mm 5,1kg 600mm 9,6kg



ateljé Lyktan

Head Office

Fyrvaktaregatan 7, SE-296 81 Åhus, Sweden

Tel: +46 (0)44 28 98 10

E-mail: info@ateljelyktan.se

www.ateljelyktan.se